

PRODUCT COMBINATION CHART

SYSTEM NAME	PRODUCT NAME	USE WITH MAIN PRODUCT AS COMBINATION (PRODUCT OR ACCESSORY)					INSTRUMENT SET CODE	INSTRUMENT SET NAME	INSTRUMENT SET DETAILS	MENTION IF USED ON JOINTS (IMPLANTS USED ON JOINTS WILL AFFECT THE ADJACENT BODY PART)
	(PLATE, NAIL ETC.)	SCREWS (IF APPLICABLE) WITH QUANTITY	PINS (IF APPLICABLE) WITH QUANTITY	WIRE (IF APPLICABLE) WITH QUANTITY	BOLT (IF APPLICABLE) WITH QUANTITY	FIXATORS (IF APPLICABLE) WITH QUANTITY				
DORSAL DISTAL RADIUS LOCKING PLATE	-	-	-	SS WIRE REEL IS USED IF THE FRACTURE IS COMPLEX	-	-	-	-	-	-
[A]	2.4 MM/ 2.7 MM DISTAL RADIUS LOCKING PLATE LEFT/ RIGHT -head holes 5 and shaft holes 3 and 5	2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50 mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia. 2.7 MM-length 6 to 40 mm- 2 mm variation (S003)	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[B]	RADIUS DISTAL DIAPHYSEAL LOCKING PLATE, COMBI-HOLES	-	-	-	-	-	-	-	-	N/A

PRODUCT COMBINATION CHART

[C]	WRIST DISTAL DIAPHYSEAL LOCKING PLATE, SHORT, COMBI-HOLES	-	-	-	-	-	-	-	-	-	N/A	
[D]	V.A. DISTAL RADIUS LOCKING PLATE LEFT & RIGHT-head holes 5 and shaft holes 3,5,7,9	VARIABLE ANGLE LOCKING HEAD SCREWS (SELF TAPPING) DIA. 2.4,2.7MM - 6 TO 40Mm- 2 mm variation(S470)	-	-	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[E]	WRIST DISTAL DIAPHYSEAL LOCKING PLATE, STRAIGHT, COMBI-HOLES	-	-	-	-	-	-	-	-	-	-	N/A
	RADIUS DISTAL DIAPHYSEAL LOCKING PLATE, COMBI-HOLES	-	-	-	-	-	-	-	-	-	-	N/A
[F]	2.4MM/2.7M M DISTAL RADIUS EXTRA ARTICULAR LOCKING	2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50	-	-	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

	PLATE (LEFT/RIGHT) - head holes 5 and shaft holes 3,4,5,6,7	mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia. 2.7 MM-length 6 to 40 mm- 2 mm variation (S003)								
[G]	V.A. 2.4MM/2.7MM DISTAL RADIUS EXTRA ARTICULAR LOCKING PLATE (LEFT) HEAD hole 5 and shaft hole 3,4,5,6,7	VARIABLE ANGLE LOCKING HEAD SCREWS (SELF TAPPING) DIA. 2.4,2.7MM - 6 TO 40Mm- 2 mm variation(S470)	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[H]	V.A. 2.4MM/2.7MM DISTAL RADIUS EXTRA ARTICULAR LOCKING PLATE (LEFT/RIGHT) HEAD 4HOLE, SHAFT HOLE3,4,5,6,7	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 2.7MM - 10 TO 60MM-2 MM VARIATION (S901)	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[I]	OPTIONAL BUTTRESS LOCKING PLATE (LEFT/RIGHT)	2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)-	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A

), 5 HEAD HOLE, SHAFT HOLE- 3,4,5,6,7	length 8 to 50 mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia 2.7 MM-length 6 to 40 mm- 2 mm variation (S003)								
[J]	V.A OPTIONAL BUTTRESS LOCKING PLATE (LEFT/RIGHT) HEAD 5HOLE, SHAFT HOLE 3,4,5,6,7	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 2.7MM - 10 TO 60MM-2 MM VARIATION (S901)	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[K]	DISTAL RADIUS LOCKING PLATE 2.4 MM /2.7 MM STRAIGHT 2 TO 10 HOLES- 1 HOLE VARIATION	2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50 mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia 2.7 MM-length 6 to 40 mm- 2 mm variation (S003)	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[L]	DISTAL RADIUS LOCKING PLATE 2.4 MM /2.7 MM ANGLED	2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

	(LEFT/RIGHT) HEAD HOLES 2 SHAFT HOLE 3,4,5,6	mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia 2.7 MM-length 6 to 40 mm- 2 mm variation (S003)								
[M]	L- DISTAL RADIUS LOCKING PLATE 2.4 MM /2.7 MM ANGLED (LEFT/RIGHT) HEAD HOLES 3 AND SHAFT HOLES 3,4,5,6,7	2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50 mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia 2.7 MM-length 6 to 40 mm- 2 mm variation (S003)	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[N]	L- DISTAL RADIUS LOCKING PLATE 2.4 MM/ 2.7 MM OBLIQUE ANGLED (LEFT/RIGHT) HEAD HOLES 3 AND SHAFT HOLES 3,4,5,6,7	2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50 mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia 2.7 MM-length 6 to 40 mm- 2 mm variation (S003)	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[O]	T- DISTAL RADIUS LOCKING	2.4 MM LOCKING HEAD SCREW WITH	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A

	PLATE 2.4 MM/ 2.7 MM. HEAD HOLES 3 AND SHAFT HOLES 3,4	STAR HEX (SELF TAPPING)- length 8 to 50 mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia 2.7 MM-length 6 to 40 mm- 2 mm variation (S003)								
[P]	V.A. DISTAL RADIUS TWO COLUMN LOCKING PLATE 2.4/2.7 MM LEFT AND RIGHT- 2 TO 10 HOLES- 1 HOLE VARIATION	VARIABLE ANGLE LOCKING HEAD SCREWS (SELF TAPPING) DIA. 2.4,2.7MM - 6 TO 40MM-2 MM VARIATION (S470), V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 2.7MM - 10 TO 60MM -2 MM VARIATION(S90 2)	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[Q]	RADIAL HEAD NECK LOCKING PLATE 2 TO 10 HOLES 1 HOLE VARIATION	2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50 mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia 2.7	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

		MM-length 6 to 40 mm- 2 mm variation (S003)								
[R]	RADIAL HEAD RIM PLATE LEFT/ RIGHT 2 TO 10 HOLES 1 HOLE VARIATION	2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50 mm- 2 mm variation (S418) AND MINI CORTEX SCREW dia 2.7 MM-length 6 to 40 mm- 2 mm variation (S003)	-	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[S]	SMALL T PLATE 3.5MM WITH LOCKING SYSTEM HEAD HOLE- 3 AND SHAFT HOLE 3 TO 9 1 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[T]	SMALL T PLATE 3.5MM WITH LOCKING	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

	SYSTEM 4 HEAD HOLE SHAFT HOLE 3 TO 9 1 HLE VARIATION	TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10- 90MM -2 MM VARIATION (S003)								
[U]	SMALL OBLIQUE T PLATE 3.5MM LEFT WITH LOCKING SYSTEM HEAD HOLE 3, 4 SHAFT HOLE 3 TO 9 WITH 1 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10- 90MM -2 MM VARIATION (S003)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[V]	RECONSTRU CTION PLATE 3.5MM WITH LOCKING SYSTEM 5 TO 16 HOLES WITH	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

	1 HOLE VARIATION	VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)								
[W]	SELF COMPRESSION PLATE (SCP) 3.5MM SMALL 4 TO 14 HOLES WITH 1 HOLE VARIATION	FIXATION WITH 3.5 AND 4 MM SCREW	-	-	-	-	-	SMALL FRAGMENT LC DCP AND DCP INSTRUMENT SET	-	N/A
[X]	LIMITED CONTACT SELF COMPRESSION PLATE SMALL- 4 TO 14 HOLES WITH 1 HOLE VARIATION	FIXATION WITH 3.5 AND 4.0 MM SCREW	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[Y]	SMALL T PLATE 3 TO 10 HOLE WITH 1 HOLE VARIATION	FIXATION WITH 3.5 AND 4 MM SCREW	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[Z]	SMALL OBLIQUE T PLATE LEFT	FIXATION WITH 3.5 AND 4 MM SCREW	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

	AND RIGHT 3 TO 10 HOLE WITH 1 HOLE VARIATION									
[A1]	RECONSTRU CTION PLATE 3.5 MM 3 TO 10 HOLE WITH 1 HOLE VARIATION AND 10 TO 24 HOLE WITH 2 HOLE VARIATION	FIXATION WITH 3.5 AND 4 MM SCREW	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[B1]	ONE-THIRD TUBULAR PLATE 3.5 MM 4 TO 14 HOLES WITH 1 HOLE VARIATION	FIXATION WITH 3.5 AND 4 MM SCREW	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[C1]	SELF COMPRESSIO N PLATE (S.C.P.) 4.5 MM NARROW 5 TO 16 HOLE WITH 1 HOLE VARIATION	FIXATION WITH 4.5 AND 6.5 MM SCREW	-	-	-	-	-	4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[D1]	LIMITED CONTACT SELF	FIXATION WITH 4.5 AND 6.5 MM SCREW	-	-	-	-	-	4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

	COMPRESSIO N PLATE 4.5 MM NARROW 5 TO 10 HOLE WITH 1 HOLE VARIATION AND 10 TO 18 WITH 2 HOLE VARIATION									
PROXIMAL /DISTAL HUMERUS PLATE SYSTEM	-	-	-	SS WIRE REEL IS USED IF THE FRACTURE IS COMPLEX	-	-	-	-	-	-
[A]	DHL DORSOLATE RAL LOCKING PLATE (WITHOUT SUPPORT) (LEFT/RIGHT) 3.5MM-3 TO 13 HOLES WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10- 90MM -2 MM VARIATION (S003), 2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

		mm- 2 mm variation (S418)										
[B]	V.A. DHL DORSO LATERAL LOCKING PLATE (WITHOUT SUPPORT) (L/R) 3.5MM 3 TO 17 HOLES WITH 2 HOLE VARIATION	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 2.7MM - 10 TO 60MM- 2MM VARIATION (S901), V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	-	-	32.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[C]	DHL DORSO LATERAL LOCKING PLATE (WITH SUPPORT) (LEFT/RIGHT) 3.5MM 3 TO 13 HOLES WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003), 2.4 MM LOCKING HEAD	-	K WIRE	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

		SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50 mm- 2 mm variation (S418)									
[D]	V.A. DHL DORSOLATERAL LOCKING PLATE (WITH SUPPORT) (L) 3.5MM 3 TO 13 HOLES WITH 2 HOLE VARIATION	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 2.7MM - 10 TO 60MM- 2MM VARIATION (S901), V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	-	2.4 AND 2.7 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[E]	DHL MEDIAL LOCKING PLATE 3.5MM (LEFT/RIGHT) 3 TO 13 HOLES WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-	-	K WIRE	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

		90MM -2 MM VARIATION (S003), 2.4 MM LOCKING HEAD SCREW WITH STAR HEX (SELF TAPPING)- length 8 to 50 mm- 2 mm variation (S418)								
[F]	V.A. DHL MEDIAL LOCKING PLATE 3.5MM (L/R) 3 TO 13 HOLES WITH 2 HOLE VARIATION	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 2.7MM - 10 TO 60MM- 2MM VARIATION (S901), V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[G]	METAPHYSEAL DISTAL MEDIAL HUMERUS LOCKING PLATE 3.5 MM 7 TO 13 HOLES WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

		VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10- 90MM -2 MM VARIATION (S003)									
[H]	V.A. METAPHYSE AL DISTAL MEDIAL HUMERUS LOCKING PLATE 3.5MM	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[I]	EXTRA - ARTICULAR DISTAL HUMERUS LOCKING PLATE (LEFT) / (RIGHT) 4 TO 14 HOLE WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10- 90MM -2 MM VARIATION (S003)	-	K WIRE	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[J]	OLECRANON PLATE (LEFT) / (RIGHT) 2 TO 12 HOLE WITH	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM	-	K WIRE	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

	2 HOLE VARIATION	TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)								
[K]	PHMA LOCKING PLATE (PROXIMAL HUMERUS MULTI ANGLE) HOLE- 5,6,8,10,12,14,16,18	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[L]	V.A. PHMA LOCKING PLATE ADULT (PROXIMAL HUMERUS MULTI ANGLE) HOLE-	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

	5,6,8,10,12,14,16,18									
[M]	PERIARTICULAR PROXIMAL HUMERUS LOCKING PLATE (LEFT/RIGHT) HOLE 3,4,5,7,9	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[N]	V.A. PERIARTICULAR PROXIMAL HUMERUS LOCKING PLATE (LEFT) HOLE 3,4,5,7,9	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[O]	LIMITED CONTACT SELF COMPRESSIO N PLATE 4.5 MM BROAD 5 TO	FIXATION WITH 4.5 AND 6.5 MM SCREW	-	-	-	-	-	4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

	12 HOLE 1 HOLE VARIATION AND 12 TO 18 HOLE 2 HOLE VARIATION									
[P]	SELF COMPRESSIO N PLATE (S.C.P.) 4.5 MM BROAD- 5 TO 12 HOLE 1 HOLE VARIATION AND 12 TO 18 HOLE 2 HOLE VARIATION	FIXATION WITH 4.5 AND 6.5 MM SCREW	-	-	-	-	-	LARGE FRAGMENT LC-DCP AND DCP INSTRUMENT SET	-	N/A
[Q]	HUMERAL DISTAL SUB-CONDYLAR LOCKING PLATE, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A
[R]	HUMERAL DISTAL LATERAL 3.5MM LOCKING PLATE, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A
[S]	HUMERAL GREATER TUBEROSITY LOCKING PLATE,	-	-	-	-	-	-	-	-	N/A

PRODUCT COMBINATION CHART

	LEFT/RIGHT									
TIBIA/FIBULA PLATE SYSTEM	-	-	-	SS WIRE REEL IS USED IF THE FRACTURE IS COMPLEX	-	-	-	-	-	-
[A]	SELF COMPRESSION PLATE (S.C.P.) 4.5 MM NARROW 5 TO 16 HOLE WITH 1 HOLE VARIATION	FIXATION WITH 4.5 AND 6.5 MM SCREW	-	-	-	-	-	SMALL FRAGMENT LC-DCP AND DCP INSTRUMENT SET	-	N/A
[B]	3.5 MM POSTERIO MEDIAL PROXIMAL TIBIA LOCKING PLATE 4 TO 18 HOLE WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[C]	V.A. 3.5 MM POSTERIO MEDIAL PROXIMAL	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

	TIBIA LOCKING PLATE 4 TO 18 HOLE WITH 2 HOLE VARIATION	TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)									
[D]	3.5 MM LOW-BEND DISTAL MEDIAL TIBIA LOCKING PLATE (LEFT/RIGHT) 4 TO 18 HOLE WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)	-	K WIRE	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[E]	ANTROLATE RAL DISTAL TIBIA LOCKING PLATE 3.5MM (LEFT) /(RIGHT) 5 TO 25 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW	-	K WIRE	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

		3.5 MM 10-90MM -2 MM VARIATION (S003)								
[F]	DISTAL TIBIA LOCKING PLATE LEFT AND RIGHT	3.5 MM LOCKING HEAD SCREW WITH STAR HEX (S504Z) AND CORTEX SCREW 3.5 MM (S003)	-		-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[G]	DISTAL MEDIAL TIBIA LOCKING PLATE LEFT AND RIGHT 4 TO 18 HOLE 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[H]	V.A. DISTAL MEDIAL TIBIA LOCKING PLATE LEFT & RIGHT 4 TO 18 HOLES WITH 2 HOLE VARIATION	V.A. CORTEX LOCKING HEAD SCREW DIA 5.0 MM 25 TO 90 MM - 5 MM VARIATION (S905) AND CORTEX SCREW 4.5 MM 14 TO 100 MM- 2 MM	-	K WIRE	-	-	-	4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

		VARIATION (S005)									
[I]	3.5 MM PROXIMAL MEDIAL TIBIA LOCKING PLATE (LEFT AND RIGHT) 4 TO 18 HOLES WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)	-	K WIRE	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[J]	PROXIMAL LATERAL TIBIA LOCKING PLATE (LEFT) / (RIGHT) 3.5MM 2 TO 14 HOLES WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)	-	K WIRE	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

[K]	V.A. PROXIMAL LATERAL TIBIA LOCKING PLATE (LEFT) 3.5MM 2 TO 14 HOLES WITH 2 HOLE VARIATION	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[L]	PROXIMAL LATERAL TIBIA LOCKING PLATE LEFT & RIGHT 5.5 MM 2 TO 14 HOLES WITH 2 HOLE VARIATION	DIA 4.5/ 5.5 MM CORTEX LOCKING HEAD SCREW- 25 TO 100 MM -5 MM VARIATION (S505Z) AND CORTEX SCREW 4.5MM- 14 TO 100 MM - 2 MM VARIATION (S005)	-	K WIRE	-	-	-	4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[M]	3.5 MM LATERAL DISTAL FIBULA LOCKING PLATE LEFT. / RIGHT 3 TO 11 HOLES WITH 1 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

		(S003)								
[N]	V.A. 3.5 MM LATERAL DISTAL FIBULA LOCKING PLATE (L/R) 3 TO 11 HOLES WITH 1 HOLE VARIATION	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[O]	T BUTTRESS PALTE 5MM WITH LOCKING SYSTEMS 3 TO 10 HOLE WITH 1 HOLE VARIATION	CORTEX SCREW DIA 5.0 MM WITH LOCKING HEAD- 10-100MM- 2 MM VARIATION (S075) AND CORTEX SCREW DIA 4.5 MM 14 TO 100 MM - 2 MM VARIATION (S005)	-	-	-	-	-	4.5 MM LOCING PLATE INSTRUMENT SET	-	N/A
[P]	L BUTTRESS PLATE 5MM LEFT LEG WITH LOCKING SYSTEM 3 TO 10 HOLES WITH 1 HOLE VARIATION	CORTEX SCREW DIA 5.0 MM WITH LOCKING HEAD- 10-100MM- 2 MM VARIATION (S075) AND CORTEX SCREW DIA 4.5 MM 14 TO 100 MM - 2 MM VARIATION (S005)	-	-	-	-	-	4.5 MM LOCING PLATE INSTRUMENT SET	-	N/A
[Q]	T PLATE 5MM WITH	CORTEX SCREW DIA 5.0 MM	-	-	-	-	-	4.5 MM LOCING PLATE	-	N/A

PRODUCT COMBINATION CHART

	LOCKING SYSTEM 3 TO 10 HOLE WITH 1 HOLE VARIATION	WITH LOCKING HEAD- 10-100MM- 2 MM VARIATION (S075) AND CORTEX SCREW DIA 4.5 MM 14 TO 100 MM - 2 MM VARIATION (S005)						INSTRUMENT SET		
[R]	V.A. LATERAL TIBIAL HEAD BUTTRESS PLATE WITH LOCKING SYSTEMS (L/R)	V.A. CORTEX LOCKING HEAD SCREWS (SELF TAPPING) DIA. 4.5,5.0MM - 10 TO 100MM	-	K WIRE	-	-	-	4.5 MM LOCING PLATE INSTRUMENT SET	-	N/A
[S]	TIBIAL PROXIMAL LATERAL 3.5MM LOCKING PLATE III, LEFT/RIGHT. 2 TO 18 HOLE WITH 2 HOLE VARIATION	3.5MM CORTEX SCREW, STARDRIVE, SELF-TAPPING	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[T]	TIBIAL PROXIMAL LATERAL 3.5MM LOCKING PLATE II, LEFT/RIGHT 2 TO 18	3.5MM CORTEX SCREW, STARDRIVE, SELF-TAPPING	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

	HOLE WITH 2 HOLE VARIATION									
[U]	V.A. ANTROLATE RAL DISTAL TIBIA LOCKING PLATE 3.5MM (L/R) 5 TO 25 HOLE WITH 2 HOLE VARIATION	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[V]	V.A. 3.5 MM LOW-BEND DISTAL MEDIAL TIBIA LOCKING PLATE (RIGHT) 4 TO 18 HOLE WTH 2 HOLE VARIATIO	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[W]	V.A. 3.5 MM PROXIMAL MEDIAL TIBIA LOCKING PLATE (LEFT/ RIGHT) 4 TO 8 HOLES WITH 2 HOLE	V.A. CORTEX LOCKING HEAD SCREWS WITH STAR HEX (SELF TAPPING) DIA. 3.5 MM 10 TO 60 MM- 2 MM VARIATION (S902)	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

	VARIATION										
[X]	TIBIAL DISTAL LATERAL 3.5MM LOCKING PLATE II, LEFT/RIGHT 2 TO 18 HOLE WITH 2 HOLE VARIATION	3.5MM CORTEX SCREW, STARDRIVE, SELF-TAPPING	-	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[Y]	TIBIAL PROXIMAL POSTERIOR 3.5MM LOCKING PLATE II, LEFT/RIGHT 2 TO 18 HOLE WITH 2 HOLE VARIATION	3.5MM CORTEX SCREW, STARDRIVE, SELF-TAPPING	-	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[Z]	TIBIAL PROXIMAL MEDIAL 5.0MM LOCKING PLATE, LEFT/RIGHT 2 TO 18 HOLE WITH 2 HOLE VARIATION	4.5MM CORTEX SCREW, STARDRIVE, SELF-TAPPING, TITANIUM	-	-	-	-	-	-	4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

[A1]	TIBIAL PROXIMAL MEDIAL 3.5MM LOCKING PLATE II, LEFT/RIGHT 2 TO 18 HOLE WITH 2 HOLE VARIATION	3.5MM CORTEX SCREW, STARDRIVE, SELF-TAPPING	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[B1]	TIBIAL DISTAL MEDIAL 3.5/5.0MM LOCKING PLATE, LEFT 2 TO 18 HOLE WITH 2 HOLE VARIATION	4.5MM CORTEX SCREW, STARDRIVE, SELF-TAPPING, TITANIUM, 3.5MM CORTEX SCREW, STARDRIVE, SELF-TAPPING	-	-	-	-	-	4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[C1]	FIBULAR DISTAL POSTERIOR LOCKING PLATE, LEFT/RIGHT 2 TO 18 HOLE WITH 2 HOLE VARIATION	-	-	-	-	-	-		-	N/A
[D1]	FIBULAR DISTAL LOCKING PLATE III,	-	-	-	-	-	-		-	N/A

PRODUCT COMBINATION CHART

	LEFT/RIGHT 2 TO 18 HOLE WITH 2 HOLE VARIATION										
FEMUR PLATE SYSTEM [A]	DISTAL FEMUR PLATE WITH LOCKING SYSTEM 5 TO 15 HOLES WITH 2 HOLE VARIATION	CORTEX SCREW DIA 5.0 MM WITH LOCKING HEAD- 10- 100MM- 2 MM VARIATION (S075) AND CORTEX SCREW DIA 4.5 MM 14 TO 100 MM - 2 MM VARIATION (S005)	-	SS WIRE REEL IS USED IF THE FRACTURE IS COMPLEX K WIRE	-	-	-	-	4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[B]	PROXIMAL FEMORAL LOCKING PLATE LEFT & RIGHT 2 TO 14 HOLES WITH 2 HOLE VARIATION	CANNULATED CANCELLOUS SCREW DIA 6.5 MMWITH LOCKING HEAD- 40 TO 110 MM WITH 5 MM VARIATION (S455), DIA 5MM CORTEX LOCKIHG HEAD SCREW SELF TAPPING 10 TO 100 MM- 2 MM VARIATION (S075) AND /OR CORTEX SCREW DIA 4.5 MM14 TO 100MM - 2 MM VARIATION (S005)	-	K WIRE	-	-	-	-	6.5 MM/ 4 MM CC SCREW SET AND 4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

[C]	DISTAL LATERAL FEMORAL LOCKING PLATE LEFT & RIGHT 2 TO 14 HOLES WITH 2 HOLE VARIATION	DIA 4.5/ 5.5 MM LOCKING HEAD SCREW-25 TO 100 MM WITH 5 MM VARIATION (S505Z) AND CORTEX SCREW 4.5 MM 14 TO 100MM - 2 MM VARIATION (S005)	-	K WIRE	-	-	-	4.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[D]	SEMI COMPRESSION PLATE (SCP) 4.5MM BROAD - 5 TO 10 HOLE WITH 1 HOLE VARIATION AND 10 TO 18 HOLE WITH 2 HOLE VARIATION	FIXATION WITH 4.5 AND 6.5 MM SCREW	-	-	-	-	-	SMALL FRAGMENT LC DCP AND DCP INSTRUMENT SET	-	N/A
[E]	LIMITED CONTACT SELF COMPRESSION PLATE (LC-SCP) 4.5MM BROAD- 5 TO 10 HOLE WITH 1 HOLE VARIATION AND 10 TO 18 HOLE WITH 2 HOLE	FIXATION WITH 4.5 AND 6.5 MM SCREW	-	-	-	-	-	SMALL FRAGMENT LC DCP AND DCP INSTRUMENT SET	-	N/A

	VARIATION									
[F]	LC-SCP BROAD LOCKING PLATE- 5 TO 10 HOLE WITH 1 HOLE VARIATION AND 10 TO 18 HOLE WITH 2 HOLE VARIATION	CORTEX SCREW DIA 5 MM WITH LOCKING HEAD 10 TO 100 MM- 2 MM VARIATION (S075) AND CORTEX SCREW 4.5 MM 14 TO 100 MM WITH 2 MM VARIATION (S005)	-	-	-	-	-	SMALL FRAGMENT LC DCP AND DCP INSTRUMENT SET	-	N/A
[G]	FEMORAL DISTAL MEDIAL CONDYLAR LOCKING PLATE, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A
[H]	FEMORAL DISTAL MEDIAL SUB-CONDYLAR LOCKING PLATE, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A
[I]	FEMORAL DISTAL LATERAL SUB-CONDYLAR LOCKING PLATE, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A

[J]	FEMORAL PROXIMAL SMALL LOCKING PLATE, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A
FOOT AND ANKLE	-	-	-	SS WIRE REEL IS USED IF THE FRACTURE IS COMPLEX	-	-	-	-	-	-
[A]	CALCANEAL LOCKING PLATE LEFT AND RIGHT	DOUBLE COMPRESSION CANNULATED SCREW 2.5 MM AND 3 MM (S712), LOCKING SCREW 3.5 MM AND 4.0 MM-20 TO 70 MM WITH 2 MM VARIATION (S474, S475)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[B]	CALCANEAL PLATE - 60, 64, 69, 70, 76, 81	DOUBLE COMPRESSION CANNULATED SCREW 2.5 MM AND 3 MM (S712), LOCKING SCREW 3.5 MM AND 4.0 MM-20 TO 70 MM WITH 2 MM VARIATION (S474, S475)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

[C]	MICRO X LOCKING PLATE	LOCKING SCREW 3.5 MM AND 4.0 MM-20 TO 70 MM WITH 2 MM VARIATION (S474, S475)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[D]	MICRO LOCKING PLATE	LOCKING SCREW 3.5 MM AND 4.0 MM-20 TO 70 MM WITH 2 MM VARIATION (S474, S475)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	
[E]	MICRO 1 ST MTP LOCKING PLATE LEFT & RIGHT	DOUBLE COMPRESSION CANNULATED SCREW 2.5 MM AND 3 MM (S712), LOCKING SCREW 3.5 MM AND 4.0 MM-20 TO 70 MM WITH 2 MM VARIATION (S474, S475)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[F]	MICRO CLOVER LEAF LOCKING PLATE	LOCKING SCREW 3.5 MM AND 4.0 MM-20 TO 70 MM WITH 2 MM VARIATION (S474, S475)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[G]	MICRO T LOCKING PLATE SHORT, STANDARD,	LOCKING SCREW 3.5 MM AND 4.0 MM-20 TO 70 MM WITH 2 MM	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

PRODUCT COMBINATION CHART

	LONG, EXTRA LONG	VARIATION (S474, S475)								
[H]	ANKLE FUSION LOCKING PLATE, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A
[I]	CALCANEAL SMALL LOCKING PLATE, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A
[J]	CALCANEAL LOCKING PLATE III, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A
[K]	CALCANEAL LOCKING PLATE II, LEFT/RIGHT	-	-	-	-	-	-	-	-	N/A
[L]	TUBEROSITY CALCANEAL LOCKING PLATE	-	-	-	-	-	-	-	-	N/A
[M]	L-TYPE LOCKING PLATE	-	-	-	-	-	-	-	-	N/A
PELVIC PLATES	-	-	-	SS WIRE REEL IS USED IF THE FRACTURE IS COMPLEX	-	-	-	-	-	
[A]	SPRING PLATE- 2 TO 10 HOLE WITH 1 HOLE	3.5 MM CORTEX SCREW SELF TAPPING CORTEX LOCKING HEAD	-	K WIRE	-	-	-	-	-	N/A

PRODUCT COMBINATION CHART

	VARIATION	SCREW STAR DRIVE SELF TAPPING 3.5 MM OPTIONAL-CANCELLOUS SCREW FULLY AND PARTIALLY THREADED DIA 4 MM CANCELLOUS SCREW- 16MM, 32MM, FULLY THREADED DIA 6.5 MM								
[B]	RECONSTRUCTION PELVIC CURVED PLATE 88* RADIUS- 2 TO 18 HOLES WITH 2 HOLE VARIATION	3.5 MM CORTEX SCREW SELF TAPPING CORTEX LOCKING HEAD SCREW STAR DRIVE SELF TAPPING 3.5 MM OPTIONAL-CANCELLOUS SCREW FULLY AND PARTIALLY THREADED DIA 4 MM CANCELLOUS SCREW- 16MM, 32MM, FULLY THREADED DIA 6.5 MM	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[C]	RECONSTRUCTION PELVIC CURVED PLATE 108* RADIUS- 2 TO 22	3.5 MM CORTEX SCREW SELF TAPPING CORTEX LOCKING HEAD SCREW STAR DRIVE SELF	-	K WIRE	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

	HOLE WITH 2 HOLE VARIATION	TAPPING 3.5 MM OPTIONAL-CANCELLOUS SCREW FULLY AND PARTIALLY THREADED DIA 4 MM CANCELLOUS SCREW- 16MM, 32MM, FULLY THREADED DIA 6.5 MM								
[D]	RECONSTRUCTION PELVIC STRAIGHT PLATE - 2 TO 24 HOLES WITH 2 HOLE VARIATION	3.5 MM CORTEX SCREW SELF TAPPING CORTEX LOCKING HEAD SCREW STAR DRIVE SELF TAPPING 3.5 MM OPTIONAL-CANCELLOUS SCREW FULLY AND PARTIALLY THREADED DIA 4 MM CANCELLOUS SCREW- 16MM, 32MM, FULLY THREADED DIA 6.5 MM	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[E]	J TYPE RECONSTRUCTION PELVIC PLATE- 2 TO 22 HOLE WITH 2 HOLE VARIATION	3.5 MM CORTEX SCREW SELF TAPPING CORTEX LOCKING HEAD SCREW STAR DRIVE SELF TAPPING 3.5 MM OPTIONAL-	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

		CANCELLOUS SCREW FULLY AND PARTIALLY THREADED DIA 4 MM CANCELLOUS SCREW- 16MM, 32MM, FULLY THREADED DIA 6.5 MM								
CLAVICLE PLATE SYSTEM	-	-	-	SS WIRE REEL IS USED IF THE FRACTURE IS COMPLEX	-	-	-	-	-	-
[A]	3.5MM CLAVICAL HOOK PLATE (LEFT/RIGHT)- 2 TO 10 HOLE WITH 2 HOLE VARIATION	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
[B]	SUPERIOR ANTERIOR CLAVICLE PLATE (LEFT) 2.7 and 3.5 mm HOLE	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A

	6,7, AND 8	<p>VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003) CORTEX LOCKING HEAD SCREW SELF TAPPING DIA 2.7MM - 8 TO 50MM WITH 2 MM VARIATION (S452) CORTEX SCREW 2.7 MM 6 TO 40 MM WITH 2 MM VARIATION (S002)</p>								
	3.5 MM SUPERIOR ANTERIOR CLAVICLE PLATE 2 TO 10 HOLES WITH 1 HOLE VARIATION	<p>CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-</p>	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	

		90MM -2 MM VARIATION (S003)								
	V.A. SUPERIOR ANTERIOR CLAVICLE LOCKING PLATE LEFT & RIGHT	CORTEX SCREW DIA 3.5 MM WITH LOCKING HEAD SELF TAPPING 10MM TO 30 MM (2MM VARIATION), 30 TO 50MM (5 MM VARIATION) AND 50 TO 90 MM (4MM VARIATION) (S504Z) AND CORTEX SCREW 3.5 MM 10-90MM -2 MM VARIATION (S003) CORTEX LOCKING HEAD SCREW SELF TAPPING DIA 2.7MM - 8 TO 50MM WITH 2 MM VARIATION (S452) CORTEX SCREW 2.7 MM 6 TO 40 MM WITH 2 MM VARIATION (S002)	-	-	-	-	-	3.5 MM LOCKING PLATE INSTRUMENT SET	-	N/A
IM NAIL	-	-	-	-	-	-	-	-	-	-
HUMERUS NAIL	-	-	-	-	-	-	-	-	-	-

PRODUCT COMBINATION CHART

[A]	HUMERUS INTERLOCKING NAIL DIA 6.5 AND 7.5 MM, LENGTH 205 MM AND 220 TO 350 MM WITH 10 MM VARIATION	PLUG CAP FOR HUMERUS INTERLOCKING NAIL , I/L LOCKING SCREW DIA 3.4 MM- 20 TO 70 MM WITH 2 MM VARIATION (S158)	-	-	-	-	S238	SMPL HUMERUS INSTRUMENT SET	-	N/A
[B]	MULTILOC PROXIMAL HUMERAL NAIL DIA 6.6 AND 7.5 AND 160 TO 340 MM LONG WITH 10 MM VARIATION	LOCKING SCREW DIA 3.4 MM 20 - 70 MM LONG WITH 2 MM VARIATION (S158)	-	-	-	-	-	-	-	-
TIBIA NAIL[A]	UNIVERSAL TIBIA INTERLOCKING NAIL DIA 8,9,10,11,12 MM - 260 TO 420 MM LONG WITH 20 MM VARIATION	3.9 MM AND 4.9 MM INTERLOCKING SCREW- 20 TO 100 MM LONG WITH 2MM VARIATION (S154, S155) END CAP	-	-	-	-	S236	SMPL UNIVERSAL TIBIA INSTRUMENT SET	-	N/A
[B]	PERFECT TIBIA NAIL CANNULATE DIA 8,9,10,11,12 AND 255 TO 375 MM	LOCKING SCREW DIA 4 MM- 20 TO 80 MM LONG WITH 2 MM VARIATION (S367) AND	-	-	-	-	S243	INSTRUMENT SET FOR PERFECT TIBIA NAIL	-	N/A

	LONG WITH 15 MM VARIATION	LOCKING SCREW DIA 5 MM - 20 TO 80 MM LONG WITH 2 MM VARIATION (S366) AND END CAP (S368)								
RADIUS AND ULNA	RUSH NAIL FOR RADIUS AND ULNA DIA 3MM LENGTH 150 TO 320 MM WITH 10 MM VARIATION	-	-	-	-	-	-	-	-	-
FEMUR NAIL	-	-	-	-	-	-	-	-	-	-
[A]	SMPL UNIVERSAL FEMUR INTERLOCKING NAIL DIA 9,10,11,12, 13 - 340 TO 480 MM LONG WITH 20 MM VARIATION	END CAP (S173) LOCKING SCREW 3.9MM (S154) AND 4.9 MM (S155)- 20 TO 100 MM LONG WITH 2 MM VARIATION	-	-	-	-	S236	SMPL UNIVERSAL FEMUR INSTRUMENT SET	-	N/A
[B]	SMPL PROXIMAL FEMORAL NAIL DIA. 12MM LONG (PFN TYPE) LEFT/RIGHT DIA 9,10,11,12	LEG SCREW DIA 8.0MM CANNULATED - 60 TO 120 MM LONG WITH 5 MM VARIATION (S174), LEG SCREW DIA 6.4 MM	-	-	-	-	S253	INSTRUMENT SET FOR PFN/TFN NAIL	-	N/A

PRODUCT COMBINATION CHART

	LENGTH- 180, 240 MM AND 340 TO 440 MM WITH 20 MM VARIATION	CANNULATED- 60 TO 120 MM LONG WITH 5 MM VARIATION (S175), LOCKING SCREW DIA 4.9 MM 20 TO 100 MM LONG WITH 2 MM VARIATION (S155) AND END CAP(S177)								
[C]	TROCHANTE RIC FIXATION NAIL DIA 9,10,11,12. 130° AND 135 ° AND 180 MM LONG	LEG SCREW DIA 8.0MM CANNULATED - 60 TO 120 MM LONG WITH 5 MM VARIATION (S174), LEG SCREW DIA 6.4 MM CANNULATED- 60 TO 120 MM LONG WITH 5 MM VARIATION (S175), LOCKING SCREW DIA 4.9 MM 20 TO 100 MM LONG WITH 2 MM VARIATION (S155) AND END CAP(S177)	-	-	-	-	S253	INSTRUMENT SET FOR PFN/TFN NAIL	-	-
[D]	PROXIMAL FEMORAL ANTIROTATION NAIL DIA 10,11,12	APFN SPIRAL BLADE 70 TO 130 MM LONG WITH 5 MM VARIATION	-	-	-	-	-	APFN INSTRUMENT SET	-	N/A

	LENGTH-180, 240 MM AND 340 TO 440 MM WITH 20 MM VARIATION	(S392), APFN AUGMENTABLE HELICAL BLADE 70 TO 130 MM LONG WITH 5 MM VARIATION (S396), APFN AUGMENTABLE SCREW 70 TO 130 MM LONG WITH 5 MM VARIATION (S397), END CAP 0,2,5,10,15 MM (S177)								
[E]	PROXIMAL INTERTROC HANTERIC ANTE GRADE NAIL DIA 9,10,11,12 LENGTH-180, 240 AND 320 TO 480 MM WITH 20 MM VARIATION	CANNULATED SET SCREW (388), END CAP 5, 10,15 MM(S389) LOCKING SCREW DIA 4.9MM20-100 MM LONG WITH 2 MM VARIATION (S155)	-	-	-	-	-	PIAN INSTRUMENT SET	-	N/A
[F]	SMART FEMUR NAIL DIA 9,10,11 LENGTH-180, 240,320 TO 480 WITH 20 MM VARIATION	LOCKING SCREW DIA 4.9MM- 20-100 MM LONG WITH 2 MM VARIATION (S155), LEG SCREW DIA 6.4 MM-60 TO 120 MM WITH 5 MM VARIATION	-	-	-	-	-	INSTRUMENT SET FOR SMART FEMUR NAIL	-	-

		(S175), END 2,5,10,15,20 MMCAP (S177)								
[G]	SUPRACOND YLAR NAIL DIA 9,10,11,12 LENGTH - 150 TO 400 MM WITH 50 MM VARIATION	LEG SCREW DIA 6.4 MM, LOCKING SCREW DIA 4.9MM AND END CAP	-	-	-	-	-	-	-	
[A]	TELESCOPIC NAIL		-	-	-	-	-	-	-	N/A
WIRES & PINS										
[A]	Kirsechner Wire DIA 1,1.5,2,2.5,3 LENGTH - 100,150,225, 300							GENERAL INSTRUMENT SET		N/A
[B]	Kirsechner Wire Threaded DIA 1,1.5,2,2.5,3 LENGTH - 100,150,225, 300							GENERAL INSTRUMENT SET		N/A
[C]	Stainmann Pin DIA 3.5,4,4.5,5 mm							GENERAL INSTRUMENT SET		N/A

PRODUCT COMBINATION CHART

	LENGTH - 100,150,175, 200,225,300 mm									
[D]	SS Wire Reel LENGTH - 16,18,20,22, 24,26,28,30, 32,34 GAUGE							GENERAL INSTRUMENT SET		N/A
[E]	Schanz Screw DIA. 5 MM, 16MM,32M M Thread LENGTH 230MM							GENERAL INSTRUMENT SET		N/A
[F]	Schanz Screw DIA. 2.5 MM, 16MM,32M M Thread LENGTH- 100,125,15 0,175,200,2 50MM							GENERAL INSTRUMENT SET		N/A

CONTACT DETAILS

SMPL[®]
SMIT MEDIMED PVT. LTD.
SMIT MEDIMED PVT. LTD.

Plot No.10, Phase-1, B|h. Prashant Eng.,
G.I.D.C., Vatva, Ahmedabad, Gujarat, India-382445.

Contact No.: +91 79 2589 6751

Web: www.smitmedimed.net

Email: info@smitmedimed.com